WÖRLE ET AL. Appl. No. 10/566,972 December 23, 2011

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method for forming the conversion of at least 50% of lamellar particles in a dipersion comprising dispersion of lamellar and optionally non-lamellar amphiphile particles to non-lamellar formhaving improved phase behaviour, particle size distribution and/or storage stability, said method comprising

forming a dispersion of lamellar and optionally non-lamellar particles comprising at least one structuring agent in a polar solvent,

heating said particles to a temperature of 80 to 150° for a time of one minute to four hours,

followed by cooling,, after cooling, thereby providing a measurable improvement in phase behavior, particle size distribution and/or storage stability wherein said non-lamellar particles have an internal region comprising a reversed cubic or bexagonal phase, L₃ phase, or mixture thereof;

and wherein said lamellar particles have a solvent core region.

- 2. (Canceled).
- 3. (Original) A method as claimed in claim 1 wherein said heating is to a temperature and for a period sufficient to provide a narrowing of said particle size distribution, after cooling.

WÖRLE ET AL.

Appl. No. 10/566,972

December 23, 2011

4. (Original) A method as claimed in claim 1 wherein said heating is to a temperature and

for a period sufficient to provide stabilization of said particle size distribution after cooling.

5. (Previously Presented) A method as claimed in claim 1 wherein said polar solvent is an

aqueous solution.

6. (Previously Presented) A method as claimed in claim 1 wherein said particles are

colloidal.

7. (Previously Presented) A method as claimed claim 1 wherein said particles comprise at

least 50% of a structure forming amphiphilic component "a", up to 40% of at least one structure

swelling agent "b" and up to 20% of a dispersion stabilizing polymeric agent "c", wherein all

parts are by weight relative to the total weight of a+b+c.

8. (Canceled).

9. (Previously Presented) A method as claimed in claim 1 wherein said heating is to an

elevated temperature at which the equilibrium form of the particles is not non-lamellar.

10. (Previously Presented) A method as claimed in claim 1 wherein said heating is to an

elevated temperature at which the equilibrium form of the particles is not liquid crystalline.

- 3 -

1921765

WÖRLE ET AL. Appl. No. 10/566,972 December 23, 2011

- 11. (Previously Presented) A method as claimed in claim 9 wherein said heating is to an elevated temperature at which the equilibrium form of the particles is L_2 phase.
- 12. (Canceled).
- 13. (Previously Presented) A method as claimed claim 1 wherein said dispersion of lamellar and/or non-lamellar particles is formed by sonication and/or extrusion.
- 14. (Currently Amended) A method as claimed in claim 1 further comprising drying said particles followed by resuspension/hydration of said particles.
- 15.-32. (Canceled).